



ASPECTA™

A NEW DIMENSION IN FLOORING

RECOMMENDED USE

HEALTHCARE

Cafeteria/Dining	HR
Chapel	HR
Corridors	HR
Critical/Intensive Care	NR
Delivery Rooms (Maternity Ward)	NR
Dialysis	R
Elevators	HR
Emergency Room Areas	NR
Exam/Procedure Rooms	R(1)
Gift Shop	HR
Hyperbaric Room	NR
Lobbies	HR
Nurses Station	HR
Office/Administrative/Conference Rooms	HR
Operating Rooms	NR
Patient Rooms	R(2)
Pharmacy	HR
Physical Therapy/Occupational Therapy - Dry	HR
Physical Therapy/Occupational Therapy - Wet	NR
Ramps/Ramped Corridors (Dry)	NR
Restrooms	NR
Scrub Areas	NR
Speech Therapy	HR
Stairways/Landings	R
Staff Lounge	HR
Testing Areas (MRI, CAT-Scan, X-Ray, Etc.)	R(1)
Utility/Storage Room/Filing	HR
Waiting Rooms	HR

CORPORATE / OFFICE

Computer Room	R(1)
Copier Room	HR
Corridors	HR
Elevators	HR
Lobby	HR
Lunchrooms	HR
Offices/Conference Rooms	HR
Restrooms	NR
Stairways/Landings	R
Utility/Storage Rooms	HR

TRANSPORTATION

Airport/Railway/Bus Terminals - Retail Shops	R
Civic/Convention Centres	HR
Museums/Cultural Centres	HR

EDUCATIONAL / INSTITUTIONAL

Auditoriums	HR
Cafeteria/Dining	HR
Classrooms/Lecture Halls	HR
Computer Rooms	R(1)
Corridors	HR
Dormitory Rooms	HR
Food Service Area	R(3)
Gymnasium	R
Laboratories	HR
Library	HR
Locker Rooms (No Spikes)	NR
Multipurpose Room/Cafeteriums	HR
Office/Administrative/Conference Rooms	HR
Physical Therapy/Occupational Therapy	HR
Ramps/Ramped Corridors (Dry)	NR
Restrooms	NR
Showers/Shower Rooms	NR
Stairways/Landings	R
Teachers' Lounge	HR
Utility/Storage Areas	HR
Vestibule/Entryway/Foyers	R

ASSISTED LIVING / MILITARY HOUSING / LIGHT COMMERCIAL

Activity Rooms/Common Areas	HR
Beauty Salon/Barber Shop - Work Area/Floor	R
Corridors	HR
Daycare Areas	HR
Dining Areas	HR
Doctor/Dentist Office - Examination Rooms	R
Doctor/Dentist Office - Reception	HR
Lobbies	HR
Physical Therapy - Dry	HR
Residence Bathrooms	R
Residence Kitchens	HR
Residence Rooms/Barracks	HR

HOSPITALITY

Around Whirlpool/Spas	NR
Casino Floors (Tables/Slots)	HR
Corridors	HR
Dance Halls/Night Clubs - Dance Floor	R
Dining Room	HR
Elevators	R
Exercise Rooms	HR
Guest Bathrooms	R
Guest Rooms	HR
Lobby	HR
Lounge	HR
Stairways/Landings	R
Vending Areas	HR

RETAIL / SALES

Automobile Showrooms	R(4)
Checkout/Cash Wrap	R
Food Service	NR
Frozen Food	R
Indoor Mall Common Areas	R
Produce Area	R
Sales Floor - Department Stores	HR
Sales Floor - Grocery	R
Sales Floor - Mass Merchant	HR
Specialty Shops/Areas	HR

LIGHT INDUSTRIAL

Clean Rooms	NR
Computer Repair Lab	NR
Electronic Testing Lab	NR
Electronics Manufacturing	NR
Environmental Conditioning Unit	R
Photo Processing	HR
Production Laboratory	R
Research Laboratory	R
Small Parts Assembly	R
Sterile Packaging	NR
Warehouse	NR

NOTES

- (1) Not recommended for sensitive areas requiring conductive or dissipative flooring
- (2) Two-part epoxy adhesive to be used underneath beds
- (3) Not recommended for commercial kitchen areas or food preparation areas
- (4) Protect area directly underneath tires from staining

KEY
 HR = HIGHLY RECOMMENDED
 R = RECOMMENDED
 NR = NOT RECOMMENDED